POM & FIT EVAL UPDATES

SEPTEMBER 2022

Adding Multiple POMs at One time

9/2/2022

2 options:

Option#1

Search for POMs by pressing CTRL+F on your keyboard.

Enter the POM Code in the window that appears at top right, check the box beside, enter the next POM code in the Ctrl+F search box.

When complete, select "Search", the "Add Selected POM" to apply all selections.

	urbanout.co	m/plm.do?method=plmnavigate&navinfo=advsearch.do&	targetMe	ethod=vie	W					0 6	۸ <u>ہ</u> <
boo R	Rose Dash	😈 Kronos 🛓 Tech World urbn 🎯 Count Distinct Valu	🗾 Creat	ing a Depe	en ah0			2	2/5	~ ~	×
Ad	dd Points of Measu	e	×								
Sear	rch the list of available	POMs									
Code	e v	Alt Descrip in v (Clear F ds) (Search)									
Ade	ld Selected POM		<1 <u>2</u>	3.5>			Go To RE	GULAR 🗸			
	***		^				Size/Acti	ve <u>Hide / Sho</u>	w		
			000		0	2	4	[6]	8	10	
	FW5IN	FABRIC WEFT 5IN STRETCH TO									
								0			
	AH01	ARMHOLE-STRAIGHT						5			
				-1/2	-1/2	-1/2	-1/2	0	1/2	1/2	3/4
	AH02	ARMHOLE-BODICE POINT TO SS-STRAIGHT	-1/2	-1/2				15			
	AH02	ARMHOLE-BODICE POINT TO SS-STRAIGHT	-1/2	-172							
	AH02	ARMHOLE-BODICE POINT TO SS-STRAIGHT ARMHOLE-BODICE POINT TO SS-ALONG CURVE	-1/2	-1/8	-1/8	-1/8	-1/8	0	1/8	1/8	3/16
			-1/8	-1/8							
					-1/8	-1/8	-1/8	0	1/8	1/8	3/16
	AH03 AH04	ARMHOLE-BODICE POINT TO SS-ALONG CURVE ARMHOLE DROP FROM HPS-(STRAIGHT)- @ SS	-1/8	-1/8							3/16
0	AH03	ARMHOLE-BODICE POINT TO SS-ALONG CURVE	-1/8 -1/2	-1/8 -1/2	-1/2	-1/2	.1/2	0	1/2	1/2	3/4

Adding Multiple POMs at One time

9/2/22

2 options:

Option#2

Select "In the list" in the Code field.

Enter the exact POM Code, separate each one with a comma (no space), Select Search.

Select the box above the results.

Lastly select "Add Selected POM"

ode II	n the list 🗸 🛛 AF	H01,HF20,PT03 It Description Clear Fields Search
Add Se	elected POM]
🗹 Ca	ode	Alt Description
	\H01	ARMHOLE-STRAIGHT
	1F20	LOW HIP
F	2103	THIGH @ 1" BELOW CROTCH

REVISED SAMPLE RATINGS OPTIONS

9/1/22

All CLO fit samples should have both Primary and Secondary Sample Ratings completed. See next slide for complete list, along with how to apply them.

DESIGN CENTER DASHBOARD	Fit Evaluation: 153692		ge Tracking				
= Fit Evaluation	_						
					c		li li
	Evaluation Informati	ion	Item Information		Sample Information		
	Agent		Fit Description		Sample No		
	INT, S.A.	Q	K1 TOLERANCE		Sample 2		SampleRequest ID 436720
	Vendor		Designer		Sample Type		SampleStatus
	INT, S.A.	Q	STEVIE GAMBOA	O,	REF	O,	NEW
	UM		Tech Designer		Date Fit		Fit Session Attendees
	EA	Q	JENNIFER ASTON	Q	07/15/2022		
	Fit Eval Status		Created On		Fit Eval Tech		Model
	NEW		2022-07-15 15:51:02		JENNIFER ASTON	Q	
	Fit Approval Date				Sample Measurer		
	Number Format				Primary Tech Sample Rating		Secondary Tech Sample Rating
	Fraction					Q	
							Description
PRODUCTION							

REVISED SAMPLE RATINGS OPTIONS ctd 9/1/2022

Primary Sample Rating & definition:	RESTYLED - the garment design intent is being changed from orignal setup intent and causing need to see new sample/new style#	DESIGN DETAIL CHANGE - Where styling changes warrant new fit sample, but not new style number, i.e. Moved Seams, added pintucks, darts etc	CONSTRUCTION - a major construction change or issue is causing need to see another sample	FIT/SPEC/BALANCE - sample cannot be approved due to any of these reasons or combo of these reasons	COST - sample cannot be approve due to major cost changes	ALIGNMENT - any combination of design/buying/pd/tech/ vendor not being on same page about design/fit intent	MULTIPLE - multiple combination of major issues	FABRIC/TRIM/WASH - any issues with fabric/trim/wash that are causing this garment to NOT be fit approved
	fit/balance issues	fit/balance issues	fit/balance issues	fit/balance issues	fit/balance issues	fit/balance issues	fit/balance issues	fit/balance issues
	major pom's OOT	major pom's OOT	major pom's OOT	major pom's OOT	major pom's OOT	major pom's OOT	major pom's OOT	major pom's OOT
	poor construction	poor construction	poor construction	poor construction	poor construction	poor construction	poor construction	poor construction
	techpack/setup not	techpack/setup not	techpack/setup not	techpack/setup not	techpack/setup not	techpack/setup not	techpack/setup not	techpack/setup not
	followed/sizse	followed/sizse	followed/sizse	followed/sizse	followed/sizse	followed/sizse conversion	followed/sizse	followed/sizse
	conversion not	conversion not	conversion not	conversion not	conversion not	not followed	conversion not	conversion not followed
Green = Secondary Sample	followed	followed	followed	followed	followed	not followed	followed	conversion not followed
rating that can be used under	redesigned	redesigned	redesigned	redesigned	redesigned	redesigned	redesigned	redesigned
this pimary rating:	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue	fabric/yarn issue
	trim issue	trim issue	trim issue	trim issue	trim issue	trim issue	trim issue	trim issue
	cost issue	cost issue	cost issue	cost issue	cost issue	cost issue	cost issue	cost issue
	multiple	multiple	multiple	multiple	multiple	multiple	multiple	multiple
	wash issue	wash issue	wash issue	wash issue	wash issue	wash issue	wash issue	wash issue
	changed construction	changed construction	changed construction	changed construction	changed construction	changed construction	changed construction	changed construction
	PLUS Size conversion	PLUS Size conversion	PLUS Size conversion	PLUS Size conversion	PLUS Size conversion	PLUS Size conversion not	PLUS Size conversion	PLUS Size conversion
	not followed	not followed	not followed	not followed	not followed	followed	not followed	not followed

MODEL FIELD

9/15/20

•Every Fit Eval should list a model, including TOPs if you receive photos or a model tries on

•Samples Fit In Person= Models Name

•Samples Fit in region, with Vendor/Vendor Photos= Vendor Fit-Form or Vendor Fit-Model

•Samples Fit by tech Without Model= Alva Form

•Samples Fit via Zoom, Model and tech not together= Remote Fit- Model

mple Information	1		Sample Comment	
npleNo ample 3	San	npleRequest ID <u>309645</u>	11/02/2020	
npleType	San	npleStatus	STATUS: ** APPROVED WITH CORRECTI	ONS - SUBMIT TOP
F			SAMPLE **	
te Fit	Org Chart Fit Model			×
9/17/2020	User Name	Description		
Eval Tech	Contains 🗸	Contains 🗸		
ALERIA CAPIZZI				
mple Measurer	Search Show All R	Reset Post		h avallable
	🗌 User Name 🔻	Desc 🔻	User Id ▼	d letters system
nary Tech Sample Ratir	REMOTE FIT- FORM	FIT MODEL	REMOTE FIT- FORM	system
		FIT MODEL	REMOTE FIT- MODEL	T GRADE
The Part of the Part of the International States	_	FIT MODEL/TECH DESIG		e and the
a Maline True Production from the Construm No. Cle 1990 Base 1997 in 1999 March 200 Base 1997 in 2017 December 2000 Base 2000 Base 2000 All Production American March 2000 Base 2000 Base 2000 Base 2000	TIFFANY FUNK	FIT MODEL	FUNKT1	ent grade
	VENDOR FIT- FORM	FIT MODEL	VENDOR FIT- FORM	
THE OWNER WANT DON'T DEPART.	VENDOR FIT- MODEL	FIT MODEL	VENDOR FIT- MODEL	
	VERONICA MADDEN	FIT MODEL	MADDENV1	
		FIT MODEL	MADDENV1 EVANSW1	
	VERONICA MADDEN		EVAN5W1	12 1

SAMPLE TYPE UPDATES

9/15/20

REFERNCE removed and replaced with:

REFERENCE PHOTOS- When physical garment is not needed, only photos of a garment from the vendor is requested

REFERENCE SAMPLE-When physical garment is needed to be fit in person

ile 3 Type		SampleStatu	5	STATUS: ** APPROVED WIT	TH CORRECTIONS - SUBMIT TOP
	Fit Sample Type				×
t	Owner	Code	Description	Qualifier	
7/202	Contains	✓ Contains	✓ Contains	✓ Contains	*
Tech					
RIA C Mea	Search Show All	Reset Post			
: IVICa	🗌 Owner 🔻	Code 🔻	Description 🔻	Qualifier 🔻	
y Tecl	URBN	PROTOSTR	PROTO STORE	SAMPLE	
	URBN	REFP	REFERENCE PHOTOS	SAMPLE	
	URBN	REF	REFERENCE SAMPLE	SAMPLE	
From Franklike	URBN	s/o	5/O	SAMPLE	
No.	URBN	SIZE	SIZE RUN	SAMPLE	
	URBN	SIZESET	SIZE SET	SAMPLE	
	URBN	SALES	SMS	SAMPLE	
an 117 nor spin spin 177 nor spin spin 177 nor spin	URBN	ТОР	TOP	SAMPLE	
					< <u>1</u> 23 ▶
			1/		

New POM: FABRIC WEFT 5IN STRETCH TO

Code	Alt Description
FW5IN	FABRIC WEFT 5IN STRETCH TO

POM Code= FW5IN

POM to be 1st POM on grade and recorded at each fit.

- Alert vendors that POM must be advised on any virtual approvals
- Ensure at TOP stage that correct tolerance is updated in TS

Example: fabric = W2. Thru development tech used W1.

Change tolerance to W2 at TOP stage

• If an issue arises, outside of true tolerance:

Create DC only POM page and update tolerances for each POM accordingly.

Example: hip -1". Team decides acceptable. Update tolerance to be -1" on DC only page so does not get stuck in DC.

When creating DC only page, the vendor must be blank; completely delete the vendor.

New POM: FABRIC WEFT 5IN STRETCH TO

DENIM/STRUCTURE TOLERANCES

		tolerance
M/1	All non washed and light washed fabrics	
W1	Weft Stretch: 5" extends up to 6 1/4"	1/8
	All heavy washed and garment dyed	
W2	Multiple wash finishes	
	Weft stretch: 5" extends up to 7 3/8"	3/8
W3	Gummy/super stretch fabric	
VV 3	Weft stretch: 5" extends 7 1/2" and over	1/2
	*leg openings on skinny doesn't get W3 unless raw edge	
	*WB should not be W3	